

Table 21D
2003 Pediatric Nutrition Surveillance (1)
National
Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 7 / 9 / 04

Summary of Trends in Anemia by Age (3)						
Age and Year		Anemia Low Hb/Hct (4)				
		Number	%			
6 - 11 Months				18 - 23 Months		
	2003	344,132	16.2		2003	389,954 13.5
	2002	383,265	16.2		2002	430,311 14.0
	2001	418,113	16.7		2001	410,422 14.2
	2000	501,041	17.2		2000	377,097 14.5
	1999	594,035	18.1		1999	430,654 15.4
	1998	596,332	18.4		1998	444,913 15.3
	1997	613,368	18.6		1997	441,511 15.3
	1996	652,364	19.4		1996	474,290 16.4
	1995	667,611	20.0		1995	478,226 17.0
	1994	648,129	20.4		1994	459,149 16.3
12 - 17 Months				24 - 35 Months		
	2003	597,109	15.0		2003	685,020 14.2
	2002	655,026	15.1		2002	748,219 14.5
	2001	616,746	15.3		2001	706,228 14.7
	2000	566,530	15.4		2000	673,890 15.1
	1999	613,229	16.7		1999	753,509 15.8
	1998	636,182	16.7		1998	800,383 15.9
	1997	611,876	16.4		1997	812,683 15.9
	1996	658,720	16.9		1996	869,096 16.9
	1995	667,384	17.7		1995	865,481 17.4
	1994	618,175	17.4		1994	824,213 16.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 21D
2003 Pediatric Nutrition Surveillance (1)
National
Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Page: 2
Run Date: 7 / 9 / 04

Summary of Trends in Anemia by Age (3)					
Age and Year		Anemia Low Hb/Hct (4)		Age and Year	
		Number	%		
36 - 59 Months				Total All Age Groups	
	2003	1,101,826	9.5		2003 3,118,041 12.8
	2002	1,204,369	9.6		2002 3,421,190 13.0
	2001	1,145,157	9.8		2001 3,296,666 13.3
	2000	1,099,010	10.0		2000 3,217,568 13.7
	1999	1,254,319	10.7		1999 3,645,746 14.5
	1998	1,386,489	10.9		1998 3,864,299 14.5
	1997	1,445,861	11.0		1997 3,925,299 14.5
	1996	1,503,781	11.4		1996 4,158,251 15.3
	1995	1,446,406	12.0		1995 4,125,108 15.9
	1994	1,305,490	11.8		1994 3,855,156 15.8
All Other/Unknown					
	2003	0	*		
	2002	0	*		
	2001	0	*		
	2000	0	*		
	1999	0	*		
	1998	0	*		
	1997	0	*		
	1996	0	*		
	1995	0	*		
	1994	0	*		

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

